SCOPY OF PAPERS ORIGINALLY FILES

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Paul Remijan and James E. McDonald

Application No.: 10/042,126

Group Art:

3739

Filed:

October 19, 2001

Examiner:

Not Assigned

Docket No.: 301499.3000-10

For:

MINIATURE ENDOSCOPE WITH IMAGING FIBER SYSTEM



CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, Washington, D.C. 20231 on 2-14-C-2 Shall leaked Sharlet Kills

Date

Sharlet Ramsland

Typed or printed name of person signing certificate

REPLY TO NOTICE OF INCOMPLETE REPLY

Box Missing Parts Commissioner for Patents Washington, D. C. 20231

Sir:

In reply to the Notice to File Missing Parts mailed from the U.S. Patent and Trademark Office on February 14, 2002, and Notice of Incomplete Reply of July 10, 2002, the following documents and fees are being submitted for filing in the captioned application. A copy of the Notice of Incomplete Reply is attached.

TRANSMITTAL OF SUBSTITUTE DRAWINGS [X]

20 Sheets of substitute drawings consisting of FIGS. 1-20 are enclosed.

[X]PETITION FOR EXTENSION OF TIME

> Applicant hereby petitions for a further two month extension of time for filing a Reply to [X]the Notice of Missing Parts dated February 14, 2002.

Fee for Additional Extension of Time:

Fee for Total Extension of Four Months

\$1,440

Less fee paid on May 24, 2002 for 2 months

\$ 400

Balance of fee due

\$_1,040

A check is enclosed in the amount of the additional extension fee indicated above. [X]

Any deficiency or overpayment should be charged or credited to Deposit Account No. 50-1935. A copy of this letter is enclosed for accounting purposes.

08/81/2002 BABRAHA1 00000017 10042136

71 -0:115

13~13以 35

Respectfully submitted,

BOWDITCH & DEWEY, LLP

Raymond A Bruttomesso, H. Registration No.: 33,840

Telephone (508) 879-5700 Facsimile (508) 929-3069

Framingham, Massachusetts 01701-9320

Dated: 14 August 2002



15

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Paul Remijan and James E. McDonald

Application No.:

10/042,126

Group Art:

3739

Filed:


October 19, 2001

Examiner:

Not Assigned

For:

MINIATURE ENDOSCOPE WITH IMAGING FIBER SYSTEM





TRANSMITTAL OF SUBSTITUTE DRAWINGS

Box Missing Parts Commissioner for Patents Washington, D.C., 20231

Sir:

In reply to the Notice to File Missing Parts mailed from the U.S. Patent and Trademark Office on February 14, 2002, and Notice of Incomplete Reply of July 10, 2002, transmitted herewith are formal drawings, Figures 1-20, Sheets 1/20 - 20/20 for filing in the subject application.

Acceptance of the formal drawing is respectfully requested.


Respectfully submitted,

BOWDITCH & DEWEY, LLP

Raymond I. Bruttomesso, Jr. Registration No. 33,840 Telephone (508) 879-5700

Facsimile (508) 929-3069

Framingham, MA 01701 Date: 14 Ave-s 20-7





United States Patent and Trademark Office



COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231

www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/042,126

10/19/2001

Paul Remijan

301499.3000-100

Thomas O. Hoover, Esq. **BOWDITCH & DEWEY, LLP** 161 Worcester Road P.O. Box 9320 Framingham, MA 01701-9320



CONFIRMATION NO. 2027 FORMALITIES LETTER *OC000000008426538*

Date Mailed: 07/10/2002

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on 06/06/2002 to the Notice to File Missing Parts (Notice) mailed 02/14/2002 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE